



Chemraz® 526 Typical Properties

Rubber Classification: **FFKM** | Color: **Black**

Service Temperature Range: **-4°F to 482°F (-20°C to 250°C)**

Description	Typical
Original Properties (ASTM Standard)	
Specific Gravity (D792)	1.95
Hardness, Type A, Shore A, Points (D2240)	97
Tensile Strength, psi [MPa] (D1414)	2,780 [19.2]
Elongation, % (D1414)	90
Modulus @ 10% Elongation, psi [MPa] (D1414)	860 [5.9]
Tear Strength, psi [MPa] (D624)	260 [1.8]

Note: Unless otherwise noted, all tests performed on 214 o-rings.

Greene Tweed

1684 South Broad Street, Lansdale, PA 19446 USA | Phone: (+1) (215) 256-9521

[gtweed.com](https://www.gtweed.com)

Statements and recommendations in this publication are based on our experience and knowledge of typical applications of this product and shall not constitute a guarantee of performance nor modify or alter our standard warranty applicable to such products.

© 2026, Greene Tweed all rights reserved. All trademarks are property of their respective owners. 9/26-GT DS-US-GE-148